











深圳市億碩電子電源有限公司 (Shenzhen Yesok Electronics Power Co.,Ltd.)  
 Branch: HongKong Yesok Electronics Power Co., Limited.







Mainland Add: 7F-8F, Complex Building, Yuyecun Industrial Park, Hezhou, Xixiang, Baoan, Shenzhen, Guangdong, China


Tel: 86-755-27489099 Fax: 86-755-27319899 Email: sales@yyoss.cn  
 Website: www.yyoss.cn www.yyoss.com.cn


**YSHV Series are high-end use design, like led road lamp, high bay lights, instruments and machines.  
 (Two stage PFC>0.95, Low ripple & noise, High efficiency)**


Model (型號)	Rated Power (功率)	Rated Voltage (輸出電壓)	Rated Output (輸出電流)	Dimension(mm) (尺寸)	Photo (圖片)	Ripple & Noisy (紋波&噪聲)	Efficiency (效率)	Warranty (質保)
YSHV-40-12	40W (TUV certificate)	12V	0~3.3A	170*48*34		120mV~200mV	84% ~ 89%	5 years
YSHV-40-24 ★		24V	0~1.67A					
YSHV-40-36		36V	0~1.11A					
YSHV-40-48		48V	0~0.83A					
YSHV-60-12D	60W (0-10V dimmable) (TUV certificate)	12V	0~5.0A	190*48*34		120mV~200mV	87% ~ 91%	3 years (5 years for indoor use)
YSHV-60-24D ★		24V	0~2.5A					
YSHV-60-36D		36V	0~1.67A					
YSHV-60-48D		48V	0~1.25A					
YSHV-60-12	60W (TUV certificate)	12V	0~5.0A	174*64*45		120mV~200mV	87% ~ 91%	5 years
YSHV-60-24 ★		24V	0~2.5A					
YSHV-60-36		36V	0~1.67A					
YSHV-60-48		48V	0~1.25A					
YSHV-80-12	80W (0-10V dimmable)	12V	0~6.66A	195*68.5*40		120mV~200mV	88% ~ 91%	5 years
YSHV-80-24 ★		24V	0~3.33A					
YSHV-80-36		36V	0~2.22A					
YSHV-80-48		48V	0~1.67A					
YSHV-100-12	100W (0-10V dimmable) (TUV certificate)	12V	0~8.3A	236*64*45		120mV~200mV	89% ~ 93%	5 years
YSHV-100-24 ★		24V	0~4.2A					
YSHV-100-36		36V	0~2.8A					
YSHV-100-48		48V	0~2.1A					
YSHV-150-12	150W (0-10V dimmable) (TUV certificate)	12V	0~12.5A	236*64*45		120mV~200mV	90% ~ 93%	5 years
YSHV-150-24 ★		24V	0~6.25A					
YSHV-150-36		36V	0~4.2A					
YSHV-150-48		48V	0~3.1A					
YSHV-200-12	200W	12V	0~16.7A	236*64*45		120mV~200mV	90% ~ 94%	5 years
YSHV-200-24 ★		24V	0~8.3A					
YSHV-200-36		36V	0~5.6A					
YSHV-200-48		48V	0~4.2A					
YSHV-240-12	240W	12V	0~20.0A	258*73*45		120mV~200mV	90% ~ 94%	5 years
YSHV-240-24		24V	0~10.0A					
YSHV-240-36		36V	0~6.67A					
YSHV-240-48		48V	0~5.0A					


**YSHC Series are high-end use design, like led road lamp, high bay lights, instruments and machines.  
(Two stage PFC>0.95, Low ripple & noise, High efficiency)**

Model (型號)	Rated Power (功率)	Rated Current (輸出電流)	Rated Voltage (輸出電壓)	Dimension(mm) (尺寸)	Photo (圖片)	Ripple& Noisy (紋波&噪聲)	Efficiency (效率)	Warranty (質保)
YSHC-35-350 ★	35W	350mA	60~108VDC	248*36*29 (248*34*27)		120mV~350mV	83.% ~ 86%	3 years
YSHC-35-500 ★		500mA	51~72VDC					
YSHC-35-700 ★		700mA	27~54VDC					
YSHC-35-900 ★		900mA	21~36VDC					
YSHC-35-1050		1050mA	21~33VDC					
YSHC-35-1400		1400mA	15~27VDC					
YSHC-35-***		Current like 600mA/800mA.....can be customized						
YSHC-40-350 ★	40W	350mA	68~114VDC	170*48*34		120mV~400mV	87% ~ 90%	5 years
YSHC-40-500		500mA	48~80VDC					
YSHC-40-700		700mA	34~57VDC					
YSHC-40-900		900mA	26~44VDC					
YSHC-40-1050		1050mA	23~38VDC					
YSHC-40-1400		1450mA	17~29VDC					
YSHC-40-***		Current like 600mA/1200mA.....can be customized						
YSHC-60-350D	50W	350mA	100~142VDC	190*48*34		120mV~500mV	88% ~ 91%	5 years
YSHC-60-500D		500mA	70~100VDC					
YSHC-60-700D ★		700mA	51~85VDC					
YSHC-60-1050D		1050mA	33~58VDC					
YSHC-60-1400D		1400mA	24~42VDC					
YSHC-60-1500D ★		1500mA	24~40VDC					
YSHC-60-1750D		1750mA	21~35VDC					
YSHC-60-2100D		2100mA	17~29VDC					
YSHC-60-***	Current like 600mA/1200mA.....can be customized							
YSHC-65-350	65W	350mA	120~171VDC	174*64*45 (174*68.5*40)		120mV~350mV	88% ~ 91%	5 years
YSHC-65-500		500mA	90~130VDC					
YSHC-65-700		700mA	51~90VDC					
YSHC-65-1050		1050mA	33~65VDC					
YSHC-65-1400		1400mA	24~47VDC					
YSHC-65-1500 ★		1500mA	24~43VDC					
YSHC-65-1750		1750mA	21~37VDC					
YSHC-65-2100		2100mA	18~33VDC					
YSHC-65-***	Current like 900mA/1200mA.....can be customized							
YSHC-80-350	80W	350mA	160~228VDC	195*68.5*40		120mV~350mV	88% ~ 91%	5 years
YSHC-80-500		500mA	112~160VDC					
YSHC-80-700		700mA	80~114VDC					
YSHC-80-1050		1050mA	53~76VDC					
YSHC-80-1400		1400mA	40~57VDC					
YSHC-80-1750		1750mA	34~48VDC					
YSHC-80-2100		2100mA	21~38VDC					
YSHC-80-2400 ★		2400mA	25~36VDC					
YSHC-80-***	Current like 900mA/1200mA.....can be customized							
YSHC-100-350	100W	350mA	200~285VDC	218*68.5*40		200mV~350mV	90% ~ 93%	5 years
YSHC-100-500		500mA	140~200VDC					
YSHC-100-700 ★		700mA	100~142VDC					
YSHC-100-1050		1050mA	57~95VDC					
YSHC-100-1400		1400mA	42~71VDC					
YSHC-100-1750		1750mA	34~57VDC					
YSHC-100-2100		2100mA	29~48VDC					
YSHC-100-2450		2450mA	25~41VDC					
YSHC-100-2800		2800mA	21~36VDC					
YSHC-100-3000 ★		3000mA	21~32VDC					
YSHC-100-***	Current like 2000mA/3000mA.....can be customized							


YSHC-120-500	120W (0-10v dimmable)	500mA	168~240VDC	223*68.5*40		200mV~350mV	90%~93%	5 years
YSHC-120-700		700mA	120~171VDC					
YSHC-120-2500		2500mA	34~48VDC					
YSHC-120-2800		2800mA	30~43VDC					
YSHC-120-3150		3150mA	27~38VDC					
YSHC-120-3500 ★		3500mA	25~36VDC					
YSHC-120-4200		4200mA	20~29VDC					
YSHC-120-5000		5000mA	17~24VDC					
YSHC-120-***	Current like 2000mA/3000mA.....can be customized							


YSHC-150-700	150W (0-10 dimmable) (TUV certificate)	700mA	150~214VDC	237*68.5*40		200mV~300mV	90%~93%	5 years
YSHC-150-1050		1050mA	64~107VDC					
YSHC-150-1400		1400mA	64~107VDC					
YSHC-150-2100		2100mA	50~71VDC					
YSHC-150-2450		2450mA	43~61VDC					
YSHC-150-2800		2800mA	38~54VDC					
YSHC-150-3150 ★		3150mA	34~48VDC					
YSHC-150-3500		3500mA	30~43VDC					
YSHC-150-4200 ★		4200mA	25~36VDC					
YSHC-150-6300		6300mA	17~24VDC					
YSHC-150-***	Current like 2000mA/4000mA.....can be customized							


YSHC-200-1400	200W	1400mA	100~142VDC	237*73*45		200mV~300mV	90%~94%	5 years
YSHC-200-3700		3700mA	38~54VDC					
YSHC-200-4200		4200mA	34~48VDC					
YSHC-200-4750		4750mA	30~42VDC					
YSHC-200-5400		5400mA	25~38VDC					
YSHC-200-6000		6000mA	25~36VDC					
YSHC-200-8300		8300mA	17~24VDC					
YSHC-200-***		Current like 2000mA/4000mA.....can be customized						


YSHC-240-4500	240W	4500mA	38~54VDC	258*73*45		200mV~300mV	90%~94%	5 years
YSHC-240-6000		6000mA	28~40VDC					
YSHC-240-7000		7000mA	25~36VDC					
YSHC-240-7200		7200mA	24~34VDC					
YSHC-240-10000		10000mA	17~24VDC					
YSHC-240-***		Current like 2000mA/4000mA.....can be customized						


**YSSC Series are Middle use design, like led tubes, panel lights, led down lights.....  
(PFC>0.95, High efficiency, 0-10v dimmable)**

Model (型號)	Rated Power (功率)	Rated Current (輸出電流)	Rated Voltage (輸出電壓)	Dimension(mm) (尺寸)	Photo (圖片)	Ripple & Noisy (紋波&噪聲)	Efficiency (效率)	Warranty (質保)
YSSC-16-350	16W (0-10V dimmable)	350mA	30~46VDC	115*40*30mm		2V~4.5V	83%~86%	3 years
YSSC-16-500		500mA	18~32VDC					
YSSC-16-700		700mA	15~23VDC					
YSSC-16-***		Rated current like 300mA / 600mA.....can be customized						


YSSC-25-350	25W (0-10V dimmable)	350mA	50~72VDC	150*40*30mm		2V~4.5V	84%~87%	3 years
YSSC-25-500		500mA	30~50VDC					
YSSC-25-700		700mA	20~36VDC					
YSSC-25-***		Rated current like 300mA / 600mA.....can be customized						

YSSC-40-350 ★	40W (0-10V dimmable)	350mA	70~114VDC	180*40*30mm		2V~4.5V	86%~89%	3 years
YSSC-40-500		500mA	50~80VDC					
YSSC-40-700		700mA	35~57VDC					
YSSC-40-1050		1050mA	25~38VDC					
YSSC-40-***	Rated current like 600mA / 900mA.....can be customized							


YSSC-50-350 ★	50W	350mA	70~142VDC	180*40*30mm		300mV~800mV	88%~91%	3 years
YSSC-50-500		500mA	70~100VDC					
YSSC-50-700 ★		700mA	40~80VDC					
YSSC-50-1050		1050mA	29~48VDC					
YSSC-50-***	Rated current like 600mA / 900mA.....can be customized							


YSSC-60-700 ★	60W	700mA	60~85VDC	190*48*34mm		2V~4.5V	88%~91%	3 years
YSSC-60-1050		1050mA	40~57VDC					
YSSC-60-1400		1400mA	30~43VDC					
YSSC-60-1500 ★		1500mA	28~40VDC					
YSSC-60-1750		1750mA	24~34VDC					
YSSC-60-***		Rated current like 600mA / 900mA.....can be customized						

**YSHB Series are Middle use design, like led tubes, ceiling lights, panel lights.....  
(PFC>0.95, Low ripple & noise, High efficiency, Low cost)**


Model (型號)	Rated Power (功率)	Rated Current (輸出電流)	Rated Voltage (輸出電壓)	Dimension(mm) (尺寸)	Photo (圖片)	Ripple& Noisy (紋波&噪聲)	Efficiency (效率)	Warranty (質保)
YSHB-36-300	36W (Switch on/off dimmable)	300mA	72~120VDC	220*30*28mm		200mV~450mV	85% ~ 88%	3 years
YSHB-36-350		350mA	60~100VDC					
YSHB-36-500		500mA	43~72VDC					
YSHB-36-700		700mA	30~51VDC					
YSHB-36-***		Rated current like 300/600mA.....can be customized						


**YSHD Series are Middle use design, like led tubes, ceiling lights, panel lights.....  
(PFC>0.95, Low ripple & noise, High efficiency, DALI dimmable)**

Model (型號)	Rated Power (功率)	Rated Current (輸出電流)	Rated Voltage (輸出電壓)	Dimension(mm) (尺寸)	Photo (圖片)	Ripple& Noisy (紋波&噪聲)	Efficiency (效率)	Warranty (質保)
YSHD-40-350	40W (Dali dimmable) 90~264VAC	350mA	68~114VDC	120*80*30mm		200mV~450mV	84% ~ 87%	3 years
YSHD-40-700 ★		700mA	34~57VDC					
YSHC-40-1050		1050mA	23~38VDC					
YSHD-40-***		Rated current like 500mA / 900mA.....can be customized						

YSHD-60-350	60W (Dali dimmable) 90~264VAC	350mA	85~142VDC	120*80*30mm		200mV~450mV	85% ~ 88%	3 years
YSHD-60-700 ★		700mA	50~85VDC					
YSHC-60-1050		1050mA	34~57VDC					
YSHD-60-1400		1400mA	26~43VDC					
YSHD-60-***		Rated current like 500mA / 900mA.....can be customized						

**YSSD & YSSC Series are Middle use design, like led tubes, ceiling lights, panel lights.....  
(PFC>0.95, Low ripple & noise, High efficiency, Low cost)**

Model (型號)	Rated Power (功率)	Rated Current (輸出電流)	Rated Voltage (輸出電壓)	Dimension(mm) (尺寸)	Photo (圖片)	Ripple& Noisy (紋波&噪聲)	Efficiency (效率)	Warranty (質保)
YSSD-30-350 ★	30W (Triac dimmable) 170~264VAC	350mA	60~85VDC	140*45*28mm		200mV~500mV	85% ~ 88%	3 years
YSSD-30-500 ★		500mA	42~60VDC					
YSSD-30-700 ★		700mA	30~42VDC					
YSSD-30-***		Rated current like 600mA / 900mA.....can be customized						

YSSC-50-350I ★	50W (Potentiometer dimmable) 170~264VAC	240~360mA	70~142VDC	225*30*28mm (238*36*30mm)		300mV~800mV	87% ~ 89%	3 years
YSSC-50-450I ★		350~450mA	70~111VDC					
YSSC-50-700I ★		600~700mA	57~72VDC					
YSSC-50-***		Rated current like 600mA / 900mA.....can be customized						

- Note 1:** The output voltage / current can be customized, like 320mA/600mA.....15V/32V (輸出電壓/電流可定制)
- Note 2:** The components we use are well-known brands like Fairchild, INFINE, ST, ON, Rubycon, NCC, TOSHIBA, IR, TI, Philips, TDK, YAGEO....silica gel)  
(器件使用基本為知名品牌, 如仙童, 英飛凌, ST, 安森美, 紅寶石, 墨金剛, 東芝, 德州, TI, 飛利浦, TDK, 國巨.....灌封膠為硅膠)
- Note 3:** YSHC & YSHV with wattage higher than 60w are 5 years warranty design
- Note 4:** Most models with 90~264VAC design (多數型號為90~264VAC設計)
- Note 5:** "★" are popular models in the market ("★"是我司的市場需求量大的型號).
- Note 6:** All the models have protections: **Short Circuit / Over Voltage / Over Load / Over Temperature / Lighting Protection Design** (所有型號具有過壓, 短路, 過載, 過溫保護. 60W以上含防雷保護設計)